



PRODUCT-DETAILS

# 2VAA008434R11

## VBR01-FPHA V-Base, Red., Field Pwr, Hot



General Information	
Product ID	2VAA008434R11
ABB Type Designation	VBR01-FPHA
Catalog Description	VBR01-FPHA V-Base, Red., Field Pwr, Hot
Long Description	Vertical column mount Base for Redundant modules. System provides power for field device (switch hot), 2x8 signal terminals, 5A fused terminal block for field power input, Requires 2x16-pin 5mm pluggable connector with conformal coating. Use with RAI02A, RDI01A, RDI02A, RDO01A

Additional Information	
Medium Description	Vertical column mount Base for Redundant modules. System provides power for field device (switch hot), 2x8 signal terminals, 5A fused terminal block for field power input, Requires 2x16-pin 5mm pluggable connector with conformal coating. Use with RAI02A, RDI01A, RDI02A, RDO01A
Product Type	Module_Termination_Unit

Ordering	
HS Code	853710 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS

THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE  
AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND  
ACCESSORIES OF SUCH ARTICLES;Boards, panels, consoles, desks,  
cabinets and other bases, equipped with two or more apparatus of  
heading|8535|or 8536, for electric control or the distribution of electricity,  
including those incorporating instruments or apparatus of Chapter|90,  
and numerical control apparatus, other than switching apparatus of  
heading|8517;For a voltage not exceeding 1|000|V

Customs Tariff Number 85371091

Dimensions

Product Net Depth / Length	218 mm
Product Net Height	110.8 mm
Product Net Width	103 mm
Product Net Weight	0.59 kg

Environmental

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	0
SCIP	e0c7804e-ac81-421a-bcfc-9cd6cade001e India

Categories

Control System Products → I/O Products → S+ SD I/O → SD I/O - Redundant Termination Bases → VBR01-FPH Redundant Bases  
→ VBR01-FPHA Redundant Base Coated  
Control Systems → Symphony Plus → I/Os → SD Series I/O → VBR01-XXX Bases



Product image  
not available