



PRODUCT-DETAILS

3BDH000372R0001

DC 722F Digital Input/Output Module

General Information

Product ID	3BDH000372R0001
ABB Type Designation	DC 722F Rev. A
Catalog Description	DC 722F Digital Input/Output Module
Long Description	<p>The digital input/output module DC 722F has 16 channels with the following features: Two 24 V DC 0.5 A sensor power supplies with short-circuit and overload protection. 16 digital inputs/outputs 24 V DC in one group. Each of which can be used as input, as transistor output with short-circuit and overload protection with 0.5 A rated current or as re-readable output (combined input/ output) and can be addressed accordingly. The inputs and outputs are electrically isolated from the other electronic circuitry of the module. There is no potential separation between the channels. This I/O module can be used as PROFIBUS remote I/O.</p>

Additional Information

Medium Description	For PROFIBUS Slave only. 16 DI/DO: 24 VDC/0.5 A 2-wire Use with TU 715F / TU 716F
Product Type	I-O_Module

Ordering

HS Code	853890 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Parts suitable for use solely or principally with the apparatus of heading 8535, 8536 or 8537; Other
Customs Tariff Number	85389099

Dimensions

Product Net Depth / Length	54 mm
Product Net Height	76 mm
Product Net Width	67.5 mm
Product Net Weight	0.125 kg

Technical

Channel Type	DX
Number of Input Channels	8
Number of Output Channels	8

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	0

Categories

Control System Products → I/O Products → S700 I/O → S700 I/O - Modules → DC 722F Digital Input/Output Module → DC 722F Rev.A Digital Input/Output Module