



PRODUCT-DETAILS

3BDH000373R0005

DC 723F Digital Input/Output Module



General Information

Product ID	3BDH000373R0005
ABB Type Designation	DC 723F Rev.B
EAN	4013614503153
Catalog Description	DC 723F Digital Input/Output Module

Long Description

The digital input/output module DC 723F has 24 channels with the following features: One 24 V DC 0.5 A sensor power supply with short-circuit and overload protection. 24 digital inputs/outputs 24 V DC in three groups, each of which can be used as an input, as a transistor output with short-circuit and overload protection with 0.5 A rated current or as a re-readable output (combined input/output) and can be addressed accordingly. The inputs and outputs are electrically isolated from the other electronic circuitry of the module. There is no potential separation between the channels. This I/O module can be used as PROFIBUS remote I/O.

Additional Information

Medium Description	For PROFIBUS Slave only. 24 DI/DO: 24 VDC/0.5 A 1-wire Use with TU 715F / TU 716F
Product Type	I-O_Module

Ordering

HS Code	853890 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES;Parts suitable for use solely or principally with the apparatus of heading 8535, 8536 or 8537;Other
Customs Tariff Number	85389099

Dimensions

Product Net Depth / Length	76 mm
Product Net Height	54 mm
Product Net Width	68 mm
Product Net Weight	0.15 kg

Technical

Channel Type	DX
Number of Input Channels	12
Number of Output Channels	12

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	0
SCIP	e46be9eb-e5c0-407c-a5c2-278983302b7f Germany

Categories

Control System Products → I/O Products → S700 I/O → S700 I/O - Modules → DC 723F Digital Input/Output Module → DC 723F Rev.B Digital Input/Output Module

