3BSC950004R1 1/3



PRODUCT-DETAILS

## 3BSC950004R1

# TK527V030 Interface cable



General Information	
Product ID	3BSC950004R1
ABB Type Designation	TK527V030
Catalog Description	TK527V030 Interface cable
Long Description	Used to connect a PC to CI801, CI810, CI820 and CI830 for download of software.  Download to CI801 requires TK212A in addition. DE9 pin to DE9 socket.
	Note! This part is exempted from the scope of 2011/65/EU (RoHS) as provided in Article 2(4)(c), (e), (f) and (j) therein (ref.: 3BSE088609 – EU DECLARATION OF CONFORMITY - ABB Advant Master Process Control System)

### **Additional Information**

Used to connect a PC to Cl801, Cl810, Cl820 and Cl830 for download of software. Download to Cl801 requires TK212A in addition. DE9 pin to DE9 socket. Note! This part is exempted from the scope of 2011/65/EU (RoHS) as provided in Article 2(4)(c), (e), (f) and (j) therein (ref.: 3BSE088609 – EU DECLARATION OF CONFORMITY - ABB Advant Master Process Control System)

Product Type Prefabricated\_Cable

3BSC950004R1 2/3

#### Ordering

**HS** Code

854442 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Insulated (including enamelled or anodised) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with electric conductors or fitted with connectors; Other electric conductors, for a voltage not exceeding 1|000|V; Fitted with connectors

Customs Tariff Number 85444210

Dimensions	
Product Net Depth / Length	3000 mm
Product Net Height	6.5 mm
Product Net Width	6.5 mm
Product Net Weight	0.295 kg
Cable Length	3 m

#### **Environmental**

RoHS Status No declaration needed

#### **Categories**

 $Control\ System\ Products \rightarrow Control\ \&\ Communication \rightarrow Advant\ Common\ Hardware \rightarrow Advant\ Common\ -\ Accessories \rightarrow Advant\ Common\ -\ Cables \rightarrow TK527V030\ Interface\ cable$ 

Control Systems  $\rightarrow$  800xA  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  S800 I/O 4.0  $\rightarrow$  Prefabricated Cables

Control Systems  $\rightarrow$  800xA  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  S800 I/O 4.1  $\rightarrow$  Prefabricated Cables

Control Systems  $\rightarrow$  800xA  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  S800 I/O 5.0  $\rightarrow$  Prefabricated Cables

Control Systems  $\rightarrow$  800xA  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  S800 I/O 5.1  $\rightarrow$  Prefabricated Cables

Control Systems  $\rightarrow$  800xA  $\rightarrow$  System  $\rightarrow$  800xA System  $\rightarrow$  800xA 6.0 System  $\rightarrow$  Prefabricated Cables

 $\textbf{Control Systems} \rightarrow \textbf{Advant OCS with Master SW} \rightarrow \textbf{Engineering} \rightarrow \textbf{Control Builder A}$ 

Control Systems  $\rightarrow$  Advant OCS with Master SW  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  Prefabricated Cables

 $\textbf{Control Systems} \rightarrow \textbf{Advant OCS with Master SW} \rightarrow \textbf{System} \rightarrow \textbf{Advant OCS with Master SW} \rightarrow \textbf{Advant Fieldbus 100} \rightarrow \textbf{Prefabricated Cables}$ 

Control Systems  $\rightarrow$  Advant OCS with MOD 300 SW  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  Prefabricated Cables

 ${\sf Control \ Systems \rightarrow Advant \ OCS \ with \ Master \ SW \rightarrow Controllers \rightarrow Master \ Piece \ 90 \rightarrow Prefabricated \ Cables}$ 

3BSC950004R1 3/3

