3BSC950089R3 1/3



PRODUCT-DETAILS

# 3BSC950089R3

# TK801V012 Cable, 1.2m



General Information	
Product ID	3BSC950089R3
ABB Type Designation	TK801V012
Catalog Description	TK801V012 Cable, 1.2m
Long Description	Modulebus Extension Shielded Cable 1.2m D-sub 25, male-female

Additional Information	
Medium Description	Modulebus Extension Shielded Cable 1.2m D-sub 25, male-female
Product Type	Prefabricated_Cable

## **Ordering**

HS Code

854442 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Insulated (including enamelled or anodised) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with

electric conductors or fitted with connectors; Other electric conductors, for a voltage not exceeding 1|000|V; Fitted with connectors

Customs Tariff Number	85444210
-----------------------	----------

Dimensions	
Product Net Depth / Length	0 mm
Product Net Height	0 mm
Product Net Width	0 mm
Product Net Weight	0.265 kg
Cable Diameter	10 mm
Cable Length	1.2 m

### **Environmental**

RoHS Status	No declaration needed
WEEE Category	Product Not in WEEE Scope
Number of Batteries	0

#### **Categories**

```
Control System Products \rightarrow I/O Products \rightarrow S800 I/O \rightarrow S800 I/O - Accessories \rightarrow TK801V012 Cable
```

Control Systems  $\rightarrow$  800xA  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  S800 I/O 4.0  $\rightarrow$  Prefabricated Cables

Control Systems  $\to 800 \text{xA} \to \text{I/Os} \to \text{S}800 \text{ I/O} \to \text{S}800 \text{ I/O} 4.1 \to \text{Prefabricated Cables}$ 

Control Systems  $\rightarrow$  800xA  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  S800 I/O 5.0  $\rightarrow$  Prefabricated Cables

Control Systems  $\rightarrow$  800xA  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  S800 I/O 5.1  $\rightarrow$  Prefabricated Cables

 $\texttt{Control System} \rightarrow \texttt{800xA} \rightarrow \texttt{System} \rightarrow \texttt{800xA System} \rightarrow \texttt{800xA 6.0 System} \rightarrow \texttt{Prefabricated Cables}$ 

Control Systems  $\rightarrow$  Advant OCS with Master SW  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  Prefabricated Cables

 $\textbf{Control Systems} \rightarrow \textbf{Advant OCS with Master SW} \rightarrow \textbf{System} \rightarrow \textbf{Advant OCS with Master SW} \rightarrow \textbf{Advant Fieldbus 100} \rightarrow \textbf{Prefabricated Cables}$ 

Control Systems  $\rightarrow$  Advant OCS with MOD 300 SW  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  Prefabricated Cables

 ${\sf Control\ Systems \to Compact\ Product\ Suite \to I/Os \to S800\ I/O \to S800\ I/O\ 4.1 \to Prefabricated\ Cables}$ 

Control Systems  $\rightarrow$  Compact Product Suite  $\rightarrow$  I/Os  $\rightarrow$  S800 I/O  $\rightarrow$  S800 I/O 5.0  $\rightarrow$  Prefabricated Cables

 $Control \ Systems \rightarrow Compact \ Product \ Suite \rightarrow I/Os \rightarrow S800 \ I/O \rightarrow S800 \ I/O \ 5.1 \rightarrow Prefabricated \ Cables$ 

 $Control \ Systems \rightarrow Compact \ Product \ Suite \rightarrow I/Os \rightarrow S800 \ I/O \rightarrow S800 \ I/O \ 6.0 \rightarrow Prefabricated \ Cables$ 

 ${\sf Control \, Systems \rightarrow Advant \, OCS \, with \, Master \, SW \rightarrow Controllers \rightarrow Advant \, Controller \, 70 \rightarrow Prefabricated \, Cables}$ 

3BSC950089R3 3/3

