3BSC950118R2 1/3



PRODUCT-DETAILS

3BSC950118R2

TK812V050 POF Cable, 5m, Simplex



General Information	
Product ID	3BSC950118R2
ABB Type Designation	TK812V050
Catalog Description	TK812V050 POF Cable, 5m, Simplex
Long Description	5m latching connector Simplex plastic fibre.

Additional Information	
Medium Description	5m latching connector Simplex plastic fibre.
Product Type	Prefabricated_Cable

Ordering

HS Code

854470 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Insulated (including enamelled or anodised) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with

electric conductors or fitted with connectors;Optical fibre cables

Customs Tariff Number	85447000
-----------------------	----------

Dimensions	
Product Net Depth / Length	0 mm
Product Net Height	0 mm
Product Net Width	0 mm
Product Net Weight	0.025 kg
Cable Diameter	3 mm
Cable Length	5 m

Environmental

RoHS Status	No declaration needed
WEEE Category	Product Not in WEEE Scope
Number of Batteries	0

Categories

```
Control System Products \rightarrow I/O Products \rightarrow S800 I/O \rightarrow S800 I/O - Accessories \rightarrow TK812V050 POF Cable
```

Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S800 I/O \rightarrow S800 I/O 4.0 \rightarrow Prefabricated Cables

Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S800 I/O \rightarrow S800 I/O 4.1 \rightarrow Prefabricated Cables

Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S800 I/O \rightarrow S800 I/O 5.0 \rightarrow Prefabricated Cables

Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S800 I/O \rightarrow S800 I/O 5.1 \rightarrow Prefabricated Cables

 $Control \ System \rightarrow 800xA \rightarrow System \rightarrow 800xA \ System \rightarrow 800xA \ 6.0 \ System \rightarrow Prefabricated \ Cables$

Control Systems \rightarrow Advant OCS with Master SW \rightarrow I/Os \rightarrow S800 I/O \rightarrow Prefabricated Cables

 $\textbf{Control Systems} \rightarrow \textbf{Advant OCS with Master SW} \rightarrow \textbf{System} \rightarrow \textbf{Advant OCS with Master SW} \rightarrow \textbf{Advant Fieldbus 100} \rightarrow \textbf{Prefabricated Cables}$

Control Systems \rightarrow Advant OCS with MOD 300 SW \rightarrow I/Os \rightarrow S800 I/O \rightarrow Prefabricated Cables

Control Systems \rightarrow Compact Product Suite \rightarrow I/Os \rightarrow S800 I/O \rightarrow S800 I/O 4.1 \rightarrow Prefabricated Cables

Control Systems \rightarrow Compact Product Suite \rightarrow I/Os \rightarrow S800 I/O \rightarrow S800 I/O 5.0 \rightarrow Prefabricated Cables

 $Control \ Systems \rightarrow Compact \ Product \ Suite \rightarrow I/Os \rightarrow S800 \ I/O \rightarrow S800 \ I/O \ 5.1 \rightarrow Prefabricated \ Cables$

Control Systems \rightarrow Compact Product Suite \rightarrow I/Os \rightarrow S800 I/O \rightarrow S800 I/O 6.0 \rightarrow Prefabricated Cables

 $\texttt{Control Systems} \rightarrow 800 \texttt{XA} \rightarrow \texttt{Controllers} \rightarrow \texttt{AC 800M Hardware} \rightarrow \texttt{AC 800M Hardware} \\ 5.1 \rightarrow \texttt{Prefabricated Cables}$

3BSC950118R2 3/3

