3BSC950262R1 1/3



PRODUCT-DETAILS

## 3BSC950262R1

## TK851V010 Connection Cable, 1m



General Information		
Product ID	3BSC950262R1	
ABB Type Designation	TK851V010	
Catalog Description	TK851V010 Connection Cable, 1m	
	Used as:	
Long Description	- RCU Link Cable	
	- BC810 Interconnection Cable	

Additional Information	
Medium Description	Used as: - RCU Link Cable - BC810 Interconnection Cable
Product Type	Prefabricated_Cable

## Ordering

HS Code

854442 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Insulated (including enamelled or anodised) wire, cable (including coaxial cable) and other insulated electric

3BSC950262R1 2/3

conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with electric conductors or fitted with connectors; Other electric conductors, for a voltage not exceeding 1|000|V; Fitted with connectors

Customs Tariff Number 85444210

Dimensions	
Product Net Depth / Length	1000 mm
Product Net Height	10 mm
Product Net Width	10 mm
Product Net Weight	0.45 kg
Cable Length	1 m

Environmental	
RoHS Status	No declaration needed
WEEE Category	Product Not in WEEE Scope
SCIP	No SVHC present Switzerland

## **Categories**

Control System Products ightarrow Control & Communication ightarrow AC 800M - Accessories ightarrow TK851V010 Connection Cable Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.0 → Prefabricated Cables Control Systems ightarrow 800xA ightarrow Controllers ightarrow AC 800M Hardware ightarrow AC 800M Hardware 4.1 ightarrow Prefabricated Cables Control Systems  $\rightarrow$  800xA  $\rightarrow$  Controllers  $\rightarrow$  AC 800M Hardware  $\rightarrow$  AC 800M Hardware 5.0  $\rightarrow$  Prefabricated Cables Control Systems  $\rightarrow$  800xA  $\rightarrow$  Controllers  $\rightarrow$  AC 800M Hardware  $\rightarrow$  AC 800M Hardware 5.1  $\rightarrow$  Prefabricated Cables Control Systems  $\rightarrow$  800xA  $\rightarrow$  System  $\rightarrow$  800xA System  $\rightarrow$  800xA 6.0 System  $\rightarrow$  Prefabricated Cables Control Systems  $\rightarrow$  Compact Product Suite  $\rightarrow$  Controllers  $\rightarrow$  AC 800M  $\rightarrow$  AC 800M  $4.1 \rightarrow$  Prefabricated Cables Control Systems  $\rightarrow$  Compact Product Suite  $\rightarrow$  Controllers  $\rightarrow$  AC 800M  $\rightarrow$  AC 800M 5.0  $\rightarrow$  Prefabricated Cables Control Systems  $\rightarrow$  Compact Product Suite  $\rightarrow$  Controllers  $\rightarrow$  AC 800M  $\rightarrow$  AC 800M  $5.1 \rightarrow$  Prefabricated Cables  ${\sf Control \, Systems \to Compact \, Product \, Suite \to Controllers \to AC \, 800M \to AC \, 800M \, 6.0 \to Prefabricated \, Cables}$  ${\sf Control \, Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC \, 800M \, Hardware \rightarrow AC \, 800M \, Hardware \, 4.1 \rightarrow Prefabricated \, Cables}$ Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.0 → Prefabricated Cables Control Systems  $\rightarrow$  800xA  $\rightarrow$  Controllers  $\rightarrow$  AC 800M Hardware  $\rightarrow$  AC 800M Hardware 5.1  $\rightarrow$  Prefabricated Cables Control Systems  $\rightarrow$  Compact Product Suite  $\rightarrow$  Controllers  $\rightarrow$  AC 800M  $\rightarrow$  AC 800M 4.1  $\rightarrow$  Prefabricated Cables  ${\sf Control \, Systems \to Compact \, Product \, Suite \to Controllers \to AC \, 800M \to AC \, 800M \, 5.0 \to Prefabricated \, Cables}$  $Control \ Systems \rightarrow Compact \ Product \ Suite \rightarrow Controllers \rightarrow AC\ 800M \rightarrow AC\ 800M \ 5.1 \rightarrow Prefabricated \ Cables$ 

3BSC950262R1 3/3

