3BSE088385R1 1/3



PRODUCT-DETAILS

3BSE088385R1

PM857K01 Processor Unit HI



General Information

Product ID

ABB Type Designation

PM857K01

Catalog Description

PM857K01 Processor Unit HI

High integrity, certified for SIL 3, Requires configuration according to Safety Manual

High integrity, certified for SIL3. Requires configuration according to Safety Manual. Local organizations must comply with the Qualifications to secure successful sales of ABB safety systems, to order safety equipment.

Long Description

96MHz and 32MB. Max 128 I/O signals.
Package including:
- PM857, Safety CPU
- TP830, Baseplate
- TB850, CEX-bus terminator
- TB807, ModuleBus terminator
- TB852, RCU-Link terminator
- Battery for memory backup (4943013-6)
- No license included.

Only compatible with 800xA 6.1, Control Builder Safe 3 and onwards.

Please see Product Update for more information.

Additional Information

3BSE088385R1 2/3

Medium Description

High integrity, certified for SIL3. Requires configuration according to Safety Manual. Local organizations must comply with the Qualifications to secure successful sales of ABB safety systems, to order safety equipment. 96MHz and 32MB. Max 128 I/O signals. Package including: - PM857, Safety CPU - TP830, Baseplate - TB850, CEX-bus terminator - TB807, ModuleBus terminator - TB852, RCU-Link terminator - Battery for memory backup (4943013-6) - No license included. Only compatible with 800xA 6.1, Control Builder Safe 3 and onwards. Please see Product Update for more information.

Product Type Central_Unit

Ordering

HS Code

853710 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES;Boards, panels, consoles, desks, cabinets and other bases, equipped with two or more apparatus of heading|8535|or 8536, for electric control or the distribution of electricity, including those incorporating instruments or apparatus of Chapter|90, and numerical control apparatus, other than switching apparatus of heading|8517;For a voltage not exceeding 1|000|V

Customs Tariff Number 85371091

Dimensions

Product Net Depth / Length	135 mm
Product Net Height	186 mm
Product Net Width	119 mm
Product Net Weight	1.2 kg

External Classifications and Standards

Dangerous Goods UN	Class 9: Miscellaneous Dangerous Substances and Articles, Including
Classification	Environmentally Hazardous Substances
Dangerous Goods UN	UN3091-PI970
Number	

Environmental

RoHS Status	Following EU Directive 2011/65/EU
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	1
Battery Chemical Composition	Lithium
Battery Type	Portable
Battery Weight	9 g
SCIP	024cbe7a-6413-4ef8-a68a-96998beebdb6 Sweden

3BSE088385R1 3/3

Categories

 $Control \ System \ Products \rightarrow Control \ \& \ Communication \rightarrow AC\ 800M \rightarrow AC\ 800M - High\ Integrity \rightarrow PM857\ Processor\ Units \rightarrow PM857K01\ Processor\ Unit\ HI$

Control Systems \rightarrow 800xA \rightarrow Safety Products \rightarrow AC 800M High Integrity

