3BSE088386R1 1/3



PRODUCT-DETAILS

3BSE088386R1

PM857K02 Redundant Processor Unit HI



General Information

Product ID 3BSE088386R1
ABB Type Designation PM857K02

Catalog Description PM857K02 Redundant Processor Unit HI

High integrity, certified for SIL3. Requires configuration according to Safety Manual. Local organizations must comply with the Qualifications to secure successful sales of ABB safety systems, to order safety equipment.

96MHz and 32MB. Max 128 I/O signals.
Package including:
- 2 pcs PM857K01, Safety Processor unit.
- TK850, CEX-bus expansion cable.
- TK851, RCU-Link cable.

Only compatible with 800xA 6.1, Control Builder Safe 3 and onwards.

Please see Product Update for more information.

Additional Information

Medium Description

Long Description

High integrity, certified for SIL3. Requires configuration according to Safety Manual. Local organizations must comply with the Qualifications to

- No license included.

3BSE088386R1 2/3

secure successful sales of ABB safety systems, to order safety equipment. 96MHz and 32MB. Max 128 I/O signals. Package including: - 2 pcs PM857K01, Safety Processor unit. - TK850, CEX-bus expansion cable. - TK851, RCU-Link cable. - No license included. Only compatible with 800xA 6.1, Control Builder Safe 3 and onwards. Please see Product Update for more information.

Product Type Central_Unit

Ordering

HS Code

853710 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Boards, panels, consoles, desks, cabinets and other bases, equipped with two or more apparatus of heading|8535|or 8536, for electric control or the distribution of electricity, including those incorporating instruments or apparatus of Chapter|90, and numerical control apparatus, other than switching apparatus of heading|8517;For a voltage not exceeding 1|000|V

Customs Tariff Number 85371091

Dimensions

Product Net Depth / Length	135 mm
Product Net Height	186 mm
Product Net Width	238 mm
Product Net Weight	2.4 kg

External Classifications and Standards

Dangerous Goods UN	Class 9: Miscellaneous Dangerous Substances and Articles, Including
Classification	Environmentally Hazardous Substances
Dangerous Goods UN	UN3091-PI970

Environmental

RoHS Status	Following EU Directive 2011/65/EU
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	2
Battery Chemical Composition	Lithium
Battery Type	Portable
Battery Weight	9 g
SCIP	aleb7916-d8e0-4fe2-8bf9-7513b5479071 Sweden

3BSE088386R1 3/3

Categories

Control System Products \rightarrow Control & Communication \rightarrow AC 800M \rightarrow AC 800M - High Integrity \rightarrow PM857 Processor Units \rightarrow PM857K02 Redundant Processor Unit HI

 $\textbf{Control System Products} \rightarrow \textbf{Control \& Communication} \rightarrow \textbf{AC 800M} \rightarrow \textbf{AC 800M} - \textbf{High Integrity} \rightarrow \textbf{PM863 Processor Units} \rightarrow \textbf{PM863K01 Processor Unit HI}$

Control Systems ightarrow 800xA ightarrow Safety Products ightarrow AC 800M High Integrity

