3KDE175512L9310 1/3



PRODUCT-DETAILS

3KDE175512L9310

AI931B Analog Input, HART (AI4H-B)



General Information

3KDE175512L9310 2/3

3KDF175512I 9310 Product ID **ABB Type Designation Catalog Description** AI931B Analog Input, HART (AI4H-B)

> The remote S900 I/O system can be installed in non-hazardous areas or directly in Zone 1 or Zone 2 hazardous area depending on the selected system variant. S900 I/O communicates with the control system level using PROFIBUS DP standard. The I/O system can be installed directly in the field, therefore the costs for mashalling

The system is sturdy, error-tolerant and easy to service. Integrated disconnection mechanisms allow replacement during operation, meaning that there is no need to interrupt the primary voltage in order to exchange the power supply units.

S900 I/O type B. For installation in hazardous area Zone 2. For connecting intrinsically safe field devices installed in Zone 2, Zone 1 or Zone 0.

Al931B Analog Input (Al4H-B), passive inputs for 0/4...20 mA.

Long Description

- ATEX Certification for installation in Zone 2 - Redundancy (Power and Communication) - Hot Configuration in Run - Hot Swap functionality - Extended Diagnostic - Excellent configuration and diagnostics via FDT/DTM - G3-coating for all components - Simplified maintenance with auto-diagnostics - Passive inputs for 0/4...20 mA - Short and break detection - Electrical isolation between input / bus and input / power - Common return for all inputs - 4 channels

and wiring are reduced.

- Transmission of HART frames via the fieldbus - Cyclic HART variables

Additional Information

Medium Description	Passive input, 0/420 mA.
Product Type	I-O_Module

Ordering

HS Code

853890 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Parts suitable for use solely or principally with the apparatus of heading |8535, 8536 | or 8537; Other

Customs Tariff Number 85389099

Dimensions		
Product Net Depth /		
I amantia		

104 mm Length Product Net Height 20 mm **Product Net Width** 104 mm **Product Net Weight** 0.13 kg

Technical

Channel Type ΑI 3KDE175512L9310 3/3

Number of Input 4
Channels

Environmental	
RoHS Status	Following EU Directive 2011/65/EU
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	0
SCIP	f9eb7dff-887a-487b-8acb-62b824cc83ec Germany

Categories

Control System Products \rightarrow I/O Products \rightarrow S900 I/O \rightarrow S900 I/O - Modules \rightarrow Al931B Analog Input Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules

