3KDE175532L9300 1/3



PRODUCT-DETAILS

3KDE175532L9300

AO930B Analog output HART (AO4H-B)



General Information

3KDE175532L9300 2/3

 Product ID
 3KDE175532L9300

 ABB Type Designation
 AO930B

 Catalog Description
 AO930B Analog output HART (AO4H-B)

The remote S900 I/O system can be installed in non-hazardous areas or directly in Zone 1 or Zone 2 hazardous area depending on the selected system variant. S900 I/O communicates with the control system level using PROFIBUS DP standard. The I/O system can be installed directly in the field, therefore the costs for mashalling and wiring are reduced.

The system is sturdy, error-tolerant and easy to service. Integrated disconnection mechanisms allow replacement during operation, meaning that there is no need to interrupt the primary voltage in order to exchange the power supply units.

S900 I/O type B. For installation in hazardous area Zone 2. For connecting intrinsically safe field devices installed in Zone 2, Zone 1 or Zone 0.

AO930B Analog Output (AO4H-B), output signal 0/4...20 mA for actuators.

Long Description

- ATEX Certification for installation in Zone 2
- Redundancy (Power and Communication)
- Hot Configuration in Run
- Hot Swap functionality
- Extended Diagnostic
- Excellent configuration and diagnostics via FDT/DTM
- G3-coating for all components
- Simplified maintenance with auto-diagnostics
- Output signal 0/4...20 mA for actuators
- Short and break detection
- Electrical isolation between output / bus and output / power
- Output with common ground
- 4 channels

- Output with common ground - 4 channels - Transmission of HART frames via the fieldbus - Cyclic HART variables

Additional Information

Medium Description	Output 0/420 mA.
Product Type	I-O_Module

Ordering

HS Code

853890 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS
THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE
AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND
ACCESSORIES OF SUCH ARTICLES; Parts suitable for use solely or
principally with the apparatus of heading | 8535, 8536 | or 8537; Other

Customs Tariff Number

85389099

Dimensions	
Product Net Depth / Length	104 mm
Product Net Height	20 mm
Product Net Width	104 mm
Product Net Weight	0.135 kg

Technical

Channel Type AO

3KDE175532L9300 3/3

Number of Output 4
Channels

Environmental	
RoHS Status	Following EU Directive 2011/65/EU
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	0
SCIP	53efa440-0034-4d5a-af53-cb70c5613ef0 Germany

Categories

Control System Products \rightarrow I/O Products \rightarrow S900 I/O \rightarrow S900 I/O - Modules \rightarrow AO930B Analog outputs \rightarrow AO930B Analog output Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules

