



---

**PRODUCT-DETAILS**

# AYK580-01-059A-2

## (AYK580-01-059A-2)



---

**General Information**

<b>Global Commercial Alias:</b>	AYK580-01-059A-2
<b>Product ID:</b>	3AUA0000233126
<b>ABB Type Designation:</b>	AYK580-01-059A-2
<b>Catalog Description:</b>	(AYK580-01-059A-2)
<b>Long Description:</b>	AYK580-01-059A-2
<b>Display Name:</b>	AYK580-01-059A-2

---

**Ordering**

<b>Customs Tariff Number:</b>	85044080
<b>Invoice Description:</b>	AYK580-01-059A-2
<b>Made To Order:</b>	No
<b>Minimum Order Quantity:</b>	1 EA
<b>Order Multiple:</b>	1 EA
<b>Quote Only:</b>	No
<b>Selling Unit of Measure:</b>	each

---

## Dimensions

---

<b>Product Net Weight:</b>	0 lb
<b>Package Level 1 Units:</b>	1 EA

---



---

## Technical

---

<b>Operating Point Frequency / Current</b>	<b>Absolute Loss</b>	<b>Relative Loss</b>	<b>Efficiency</b>
0 / 25 %	205 W	0.9 %	85.9 %
0 / 50 %	268 W	1.1 %	90.0 %
0 / 100 %	474 W	2.0 %	91.1 %
50 / 25 %	224 W	0.9 %	92.1 %
50 / 50 %	301 W	1.3 %	94.4 %
50 / 100 %	571 W	2.4 %	94.6 %
90 / 50 %	354 W	1.5 %	96.2 %
90 / 100 %	762 W	3.2 %	96.0 %

---

<b>Frame Size:</b>	R3
<b>Apparent Power Output:</b>	24 kV·A
<b>Efficiency Level:</b>	IE2
<b>Standby Loss:</b>	15 W
<b>Temperature Rating:</b>	Maximum 40 °C

---



---

## External Classifications and Standards

---

<b>UNSPSC:</b>	39122001
----------------	----------

---



---

## Categories

---

Products > Drives > Low Voltage AC Drives > Industry-Specific Drives > Drives for HVAC > ACH580-01 - Wall-mounted drive for HVAC

