



PRODUCT-DETAILS

AYK580-01-211A-2

(AYK580-01-211A-2)



General Information

Global Commercial Alias:	AYK580-01-211A-2
Product ID:	3AUA0000233142
ABB Type Designation:	AYK580-01-211A-2
Catalog Description:	(AYK580-01-211A-2)
Long Description:	AYK580-01-211A-2
Display Name:	AYK580-01-211A-2

Ordering

Customs Tariff Number:	85044080
Invoice Description:	AYK580-01-211A-2
Made To Order:	No
Minimum Order Quantity:	1 EA
Order Multiple:	1 EA
Quote Only:	No
Selling Unit of Measure:	each

Dimensions

Product Net Weight:	0 lb
Package Level 1 Units:	1 EA

Technical

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	632 W	0.8 %	87.9 %
0 / 50 %	897 W	1.1 %	90.7 %
0 / 100 %	1718 W	2.0 %	91.0 %
50 / 25 %	699 W	0.8 %	93.2 %
50 / 50 %	1044 W	1.2 %	94.6 %
50 / 100 %	2066 W	2.5 %	94.6 %
90 / 50 %	1284 W	1.5 %	96.2 %
90 / 100 %	2809 W	3.3 %	95.9 %

Frame Size:	R7
Apparent Power Output:	84 kV-A
Efficiency Level:	IE2
Standby Loss:	22 W
Temperature Rating:	Maximum 40 °C

External Classifications and Standards

UNSPSC:	39122001
----------------	----------

Categories

Products > Drives > Low Voltage AC Drives > Industry-Specific Drives > Drives for HVAC > ACH580-01 - Wall-mounted drive for HVAC

