



PRODUCT-DETAILS

ACS560-01-05A6-4

ACS560-01-05A6-4 PN: 2.2 kW, IN: 5.6 A



General Information

Global Commercial Alias:	ACS560-01-05A6-4
Product ID:	3AXD50000047643
ABB Type Designation:	ACS560-01-05A6-4
Catalog Description:	ACS560-01-05A6-4 PN: 2.2 kW, IN: 5.6 A
Display Name:	ACS560-01-05A6-4

Ordering

Customs Tariff Number:	850440
HS Code:	850440 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES;Electrical transformers, static converters (for example, rectifiers) and inductors;Static converters
Invoice Description:	ACS560-01-05A6-4 PN: 2.2 kW, IN: 5.6 A
Made To Order:	Yes
Minimum Order Quantity:	1 piece
Order Multiple:	1 piece
Quote Only:	No

Selling Unit of Measure: piece

Dimensions

Product Net Weight:	1.6 kg 3.527 lb
Product Net Depth / Length:	207 mm
Product Net Height:	223 mm
Product Net Width:	73 mm
Package Level 1 Depth / Length:	205 mm 8.071 in
Package Level 1 Height:	205 mm 8.071 in
Package Level 1 Width:	73 mm 2.874 in

Technical

Operating Point Frequency / Current	Absolute Loss	Efficiency	Relative Loss
0/25 %	45 W	82.1 %	1.2 %
0/50 %	52 W	88.3 %	1.3 %
0/100 %	71 W	91.2 %	1.8 %
50/25 %	47 W	90.1 %	1.2 %
50/50 %	55 W	93.7 %	1.4 %
50/100 %	79 W	95.1 %	2.0 %
90/50 %	61 W	96.1 %	1.6 %
90/100 %	91 W	96.8 %	2.3 %

Number of Phases:	3-phase
Degree of Protection:	IP20
Enclosure Type NEMA:	Open Type
Frequency (f):	47 ... 63 Hz
Frame Size:	R0
Input Voltage (U _{in}):	380 ... 480 V
Mounting Type:	Wall-mounted
Output Current, Normal Use (I _N):	5.6 A
Output Current, Light-Overload Use (I _{LD}):	5.3 A
Output Current, Heavy-Duty Use (I _{HD}):	4 A
Output Power, Normal Use (P _N):	2.2 kW
Output Power, Light-Overload Use (P _{LD}):	2.2 kW

Output Power, Heavy-Duty Use (P_{HD}):	1.5 kW
Apparent Power Output:	4.0 kV·A
Efficiency Level:	IE2
Standby Loss:	15 W
Temperature Rating:	Maximum 50 °C

Environmental

WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
----------------	--

External Classifications and Standards

UNSPSC:	39122001
---------	----------

Categories

Products > Drives > Low Voltage AC Drives > General Purpose Drives > ACS560-01 - Wall-mounted drive

