



PRODUCT-DETAILS

TA5426-STAKIT

Starter kit. AC500-eCo V3: PM5072-T-2ETH, Simulator, CP604 (TA5426-STAKIT)



General Information	
Extended Product Type	TA5426-STAKIT
Product ID	1SAP187600R0003
ABB Type Designation	TA5426-STAKIT
EAN	4013614564611
Catalog Description	Starter kit. AC500-eCo V3: PM5072-T-2ETH, Simulator, CP604 (TA5426-STAKIT)
Long Description	TA5426-STAKIT: AC500-eCo Starter kit. AC500-eCo V3: PM5072-T-2ETH, Simulator, CP604.

Ordering	
CN8	85371091
Invoice Description	Starter kit. AC500-eCo V3: PM5072-T-2ETH, Simulator, CP604 (TA5426-STAKIT)
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece

Dimensions

Product Net Weight	1.011 kg
Product Net Depth / Length	350 mm
Product Net Height	90 mm
Product Net Width	220 mm
Gross Weight	1.011 kg
Package Level 1 Depth / Length	350 mm
Package Level 1 Height	90 mm
Package Level 1 Width	220 mm
Package Level 1 Units	1 carton

Certificates and Declarations

Declaration of Conformity - CE	3ADR980147
REACH Date	20241206
REACH Declaration	3ADR980139
REACH Information	True - contains substances > 0.1 mass percentage
RoHS Date	2021
RoHS Information	3ADR980147
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Technical

Function	AC500-eCo V3: PM5072-T-2ETH, Simulator, CP604
Degree of Protection	IP20

Additional Information

Product Main Type	TA5426
Product Name	Distributed Automation PLCs

External Classifications and Standards

eClass	27-24-22-92
ETIM 8	EC002581 - PLC device set
ETIM 9	EC002581 - PLC device set
ETIM 10	EC002581 - PLC device set
UNSPSC	32151705

Environmental

SCIP	460ba53d-3412-4723-ad90-96876694e85c Germany
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kit Contents			
Identifier	Description	Quantity	Unit Of Measure
1SAP124500R0173	Processor module. Memory 8MB. 12 DI 24VDC. 8 DO 24VDC 0.5A. 2 DC 24VDC. 2 Ethernet interfaces. 3 option slots (PM5072-T-2ETH)	1	piece
1SAP187400R0004	Terminal block set. for PM503x, PM505x and PM507x. Screw front / cable side. 1 Power supply, 2 I/O connectors (TA5212-TSCL)	1	piece
1SAP187600R0001	Input simulator. For AC500-eCo. 6 switches (TA5400-SIM)	1	piece
1SAP504100R0001	Control panel. 4.3" TFT touch screen, 64 K colors, 480x272 pixel (CP604)	1	piece
2CDN361177P0001	Carton for AC500-eCo starter kit (I)	1	piece
2TUP000000P0015		2	

Categories

PLC Automation → Programmable Logic Controllers PLCs → AC500-eCo → Accessories

