



PRODUCT-DETAILS

TA5450-CASE

Training case. With: PM5630-2ETH, TB5620-2ETH, CM579-PNIO, DA501, CI502-PNIO, CP6607, Case, Power adapter (TA5450-CASE)



General Information	
Extended Product Type	TA5450-CASE
Product ID	1SAP187700R0001
ABB Type Designation	TA5450-CASE
EAN	4016779067126
Catalog Description	Training case. With: PM5630-2ETH, TB5620-2ETH, CM579-PNIO, DA501, CI502-PNIO, CP6607, Case, Power adapter (TA5450-CASE)
Long Description	TA5450-CASE: AC500 Training case. With: PM5630-2ETH, TB5620-2ETH, CM579-PNIO, DA501, CI502-PNIO, CP6607, Case, Power adapter. Engineering software Automation Builder to be ordered separately

Ordering	
CN8	90230080
Invoice Description	Training case. With: PM5630-2ETH, TB5620-2ETH, CM579-PNIO, DA501, CI502-PNIO, CP6607, Case, Power adapter (TA5450-CASE)
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece

Dimensions	
Product Net Weight	6.8 kg
Product Net Depth / Length	360 mm
Product Net Height	194 mm
Product Net Width	304 mm
Gross Weight	7.2 kg
Package Level 1 Units	1 carton

Certificates and Declarations	
Declaration of Conformity - CE	3ADR980152
REACH Date	20241206
REACH Declaration	3ADR980139
REACH Information	True - contains substances > 0.1 mass percentage
RoHS Date	2020
RoHS Information	3ADR980152
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Technical	
Function	With: PM5630-2ETH, TB5620-2ETH, CM579-PNIO, DA501, CI502-PNIO, CP6607, Case, Power adapter
Degree of Protection	IP20

Additional Information	
Product Main Type	TA5450
Product Name	Distributed Automation PLC

External Classifications and Standards	
eClass	27-24-22-92
ETIM 8	EC002581 - PLC device set
ETIM 9	EC002581 - PLC device set
ETIM 10	EC002581 - PLC device set
UNSPSC	32151703

Environmental	
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kit Contents	
--------------	--

Identifier	Description	Quantity	Unit Of Measure
1SAP131000R0378	Processor module. Memory 8MB. Interfaces: 2 Ethernet, RS232/485, CAN. Display (PM5630-2ETH)	1	piece
1SAP170901R0101	Communication module. PROFINET IO RT controller (CM579-PNIO)	1	piece
1SAP180600R0001	Terminal base slot cover. for TB5xx, TB5xxx and TF5xxx (TA524)	1	piece
1SAP220700R0001	Interface module. PROFINET IO RT device. 8 DI: 24VDC. 8 DO: 24VDC 0.5A. 8 configurable DI/DO: 24VDC 0.5A (CI502-PNIO)	1	piece
1SAP250700R0001	Digital/analog I/O module. 16 DI: 24VDC. 4 AI: U, I, RTD. 2 AO: U, I. 8 configurable DI/DO: 24VDC 0.5A (DA501)	1	piece
1SAP560710R0001	Control panel. 7" TFT multi-touch screen, 16 M colors, 800 x 480 pixel, Chromium Browser (CP6607)	1	piece

Categories

PLC Automation → Programmable Logic Controllers PLCs → AC500 → Accessories

